

\$3,50
2,10

600

After 10 days return to
J. W. H. REBER, M. D.,
Painter on, P

After 10 days return to
J. W. H. REBER, M. D.,
Painter on, Pa.

After 10 days return to
J. W. H. REBER, M. D.,
Painter Station, Pa.

Green
Allen



The
Constitution
Of The United States
Organized Tuesday
Bangs. 14th 1st

John W. H. B.
Leff. Med. College
Philadelphia
1866

Leff. Med. College

October 11th /86

Medical & ~~Surgical~~ Clinic at Blockley

Case of Ascites ^(diag) - Swelling of abdomen, fluctuation
swelling of lower extremities, pitting on
pressure, tongue coated with a white mucus
Prognosis, unfavorable

Case of Fever of a grade between typhus & typhoid
Tongue-coated, eye-protruding, some
delirium, swelling of eyes & head
treatment, quinine, (Prog) favorable

Oct 14th /86 Blockley

Case of Intermittent fever, Diagnosis (Chills
every day, enlargement of the Spleen, dropsy
in extremities, tongue of a pinkish color.
Treatment - quinine - painting the chest
with Iodine.

Case - Inflammation of cell tissue.
Extremities elastic. emaciated. hard
Formerly had dropsy. Treatment
mechanical. Arsenic. Fowler's Solution

Oct 11th 1865 Surgical clinic (Blockley)
(1st Case) Chronic case of conjunctivitis, the eye unable to bear the light, upper eyelid most affected, when passed over the eyeball, seems as if sand were in the eye, the papilla distended with blood. Treatment - Opening the distended blood vessels & washing immediately with cold water.

(2nd Case) Stricture of the sphincter muscle of the bladder, caused by a ball passing through the abdomen, Treatment - The introduction of the catheter which gave rest to the muscle and allowed it to resume its usual tone.

(3rd Case) Removal of the metatarsal bone of the second toe.

Oct 14th 1865 Blockley

(1) Ulcer on leg skin partially grown over, without granulation; removal of skin.

(2) Fistula in ano

3

Oct 11th Jefferson College Medical Clinic

- (1) Case of Nystera.
(2) Palpitation of Heart

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Oct 14th

"Lady" Pain in throat, none in chest. flush on cheek, nose stopped in morning, tongue pale & transversely scarred, constipation. Typhnoides, leucorrhoea decided. Catamenia not clearly expressed (on account of weaning infant). palpitation of heart (Dyspeptic Condition) Treatment - dry cups or leeches, two or three times a week on epigastric region. & friction on whole chest.

Woman. Spasmodic cough, debility of respiration on left side. Congestion of bronchial membrane. Treatment - Sandrium in very large doses, Dover's Powder & Opium in pil.

Child, Intermittent. bright red spot on face in morning, evening. fever, light coated tongue, a little thick, eats heartily, but takes sick & lays down. pain in left hypochondriac region, flatulent stomach. Pulse rapid. Treatment Quinia, Kino, Peruvia ^{Bark}

Oct 14th 1865
 Lepperson College (Surgical Clinic)

- (1) Removal of a fibrous tumor from the left side of the neck. — Pancoast
- (2) Patient. A boy 15 years of age. Had the arm amputated 5 years before. A horny excrescence of stump. Removal of same.
- (3) Gilford, aged 14. With encephalic tumor on right thigh, of 4 years standing 19 inches in long diameter, 32 in in circumference including limb.
 The tumor consisted of lobulated portions hard on pressure, veins prominent. owing to the tumor involving the deep seated blood vessels and bone, the leg was amputated at the hip joint. which was successfully performed by Gross in 3 1/2 minutes.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Oct 18

Blackley (medical clinic)

Case of typho-typhus fever

(1) (Patient) a man aged 26. Diagnosis, Drowsy heavy state, mouth filled with dark colored blood, mental derangement, protrusion of eye, tongue dry, red, hard, pulse feeble, quick (120). Rash over abdomen, chest & extremities not disappearing on pressure. Tympanitis, bowels loose, some cough

Treatment. Nourish with milk punch, arrow root, quinine every two or three hours in combination with opium. Turpentine combined with gum mucilage in 10 drop doses. Sponging the body with vinegar & water or Bay Rum. Blisters on back of neck. Room ventilated. For cough Turpentine over chest small doses of Nux Vomica, turpentine. Carbonate of ammonia. Kept perfectly quiet,

(2) Acute Rheumatism / Irish patient aged 21, swelling of knee, severe pain. Tongue clean bowels regular. Don't sleep well. Treatment. Blue mass. or Citrate of Potash. Dovers Powders. then

Rochelle salts. Following it with nitrate of potash, in solution 13 " 113 to 13. At night opium, wrapping the limbs in cotton.

Medical Clinic (College) Dec 18

- (1) Patient, a young man. Disease intermittent, (Diagnosis). Chills lasting 1/2 hour every other day, about 9 a.m. Fever as long as chill in afternoon. Sweating in evening. Face - pale & flushed. Tongue - coated, a little thickened, transversely fissured. Dizziness in head. Tongue indented with teeth. Spleen enlarged. Treatment Quinine cinchona. Opium to lull the nervous excitement, a Fluid ext. of Peruvian Bark 1/3
- R Sulph of cinchona x 4 gr
Opia 1/4 gr

Mf - 12 pills. one every 3 hours

- (2) Patient, Man 45 yrs of age. Diagnosis. Chronic Bronchitis. Green Sputa. settling of mucus in lesser bronchial tubes on right side. Treatment.

counter irritation on back of chest - also opiates.

R Lig Morphia Sulph 3 i f f } teaspoonful every
Carb Potass 3 i f f } 3 hours & 25 drops
Syrup 3 i f f } landrun at bed time
if there is cough

Oct. 18, 1865

Surgical Clinic. College

Patient, Mrs. Harn. Carcinoma of breast,
removal by elliptical incision. Brought
together by 5 interrupted sutures

Patient, Joseph Greenwood, age 4 years
strabismus of left eye, looking inward,
division of internal obicularis

Patient - Large ant. humerus disease. Necrosis
Arm amputated 6 months ago at wrist. Pain
in stump. Still pain. Amputation at elbow. Still
pain. Amputation at shoulder. Still pain in
nerve. Removal of median nerve

Oct 18th/65 Blockley

Patient, Catherine Smith, aged 31. Ununited
fracture of tibia, break the fibula, and
bring the parts together by means of fracture

Patient, John. Foster. aged 31 yrs
excision of lymphatic glands

Oct 21st Medical Clinic. Block
 Patient, Man aged 48. Inflammation of
 larynx. Difficulty of swallowing, voice nearly
 gone. Treatment. Cantharis with Nitrate of
 silver, leeches on larynx. Reg. Cl. ipecacuanha
 citrate of Potassa & Carb of Soda

Subject. Man aged 38. Dropsy of extremities
 general anasarca. Diagnosis. Thickening of
 the valves of the heart more or less congestion
 of the spleen & liver.

Patient. Male aged 18. Blindness
 coming on suddenly, without any cause.
 Treatment. For intestinal worms
 Ext of Pomegranate



[Faint, illegible handwriting, likely bleed-through from the reverse side of the page.]

Subject, Annie Curry - aged 22 yrs.
 Disease. Syphilitic node. tertiary syphilis
 Diagnosis, swelling of part, elevation of
 temperature of limb, numb sharp pain
 during night, tongue coated

Rx Iodide Sodium gr ⅞


Bichloride of Mercury gr ⅛

three times a day after meals, local
 treatment Iodine

Case. Male. Onco Maligna of Great toe
 swelling, redness of part with excessive pain
treatment. Opium gr ¼

Calomel gr 1

with morphia (¼ gr) at night



1/2 inch from Pteron bone
nerve between artery & bone

Medical

Nov 1st 1865 - Blockley

Augustus Johnson. Taken sick with chill
chill every day. Anasarca of abdomen. Dull
sound over left chest. Increase of heart, valvular
disorder of heart. Albuminous condition of urine.
Liver enlarged, dullness over same. Expectoration
of blood. Dropsy of legs.

(Treatment) To be kept quiet. Counter irritation
over liver. Bowels to be kept open. Digitalis
to subdue heart. Irritation over chest.

Case of Bronchitis. Crepitation of bronchial
tubes, dull sound on percussion. Some
fever.

Treatment. Mild purge. Dover's Powder. Warm
foot bath at night. And if inflamed in
posterior portion of chest, apply cups or mustard
plaster on anterior, mild expectorants
with tonics.

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

Nov. 22/65. Blockley Surgical Clinic
Patient. Male. Fracture of surgical neck of humerus.
Crepitation near shoulder joint.

Treatment: By two splints, one from axilla, other from
shoulder, to draw the neck upwards. Kiequini, Anodyne.

Patient. male. age 43 yrs. Injury of right eye struck
with a stone. No pain until a year ago. when pain
became agonizing. and other became involved.

Internal structure of eye disorganized.
Treatment - Exstirpation of eye

Treatment Exstirpation of eye

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

Medical Clinic, Jefferson Ch Nov 1st / 85
 Patient. Girl. Chlorosis, semi-laminate
 look, paleness of lips. whiteness of eye. ~~anemia~~ of feet
 blood impure, six months amenorrhea, irregularity
 of menstruation, leucorrhoea profuse.
 heart palpitates violently on going up stairs.
Treatment. for the anemia tonics for the
 Chlorosis. R Aloes gr v.

Ol Iamaceiti gr xxxx

Cantharidum gr viij

Ferri Lactatis ~~gr~~ viij

Mf in Rl xxviiij Divide. one four times day

(Patient ^{lady} ~~off~~) Diemmenorrhoea. Pain severe in
 hypogastric region & lumbo sacral region
 about two weeks before Catarrhus. Little
 palpitation of heart. pain in forehead
 tongue - slightly coated. Short winded
 Swelling of feet. Constipation.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

1 M 9354 1 37 1

28 1000000000

18
Jefferson Medical Clinic Nov 8th / 65. ~~Brooklyn~~
Chronic Dyspepsia.

Patient. Lady. Diagnosis. Tight across the chest, difficulty of breathing. Soreness in epigastric region, swelling of stomach in morning. Difficulty of bringing clothes together. Tongue coated, slightly striated. Constipation. Some cough. Flatulence.

Treatment - For constipation and injection of milk warm water. Cups over epigastric, take about eight ounces of blood. Apply a blister after,

Phthisis Pulmonalis

Patient - Lady. Diagnosis. Bad cough, with loss of flesh. Loud sound of heart. Mucous rattle on the left sound of the lung. On Percussion dull sound under the clavicle, resembling cracked cup.

Treatment - Mild exercise, with a tonic treatment. Diet, butter fat

Nov 11 7865 Med Clinic, Berkeley,
 Subject, A Fenchman age 35 In Hosp.
 Disease, Aneurism of aorta in abdomen
 Diagnosis, Pulsating tumor on ^{left posterior} right side of
 abdomen, distress in breathing, spasm of
 the muscles of face

Treatment, Keep the patient quiet, and the bowels
 regular also Digitalis 3i, Morphia gr ij, ^{Camphor} Agnus
 3ij. to regulate the action of the heart

Subject (Pneumonia), age 44 In Hosp 10 days
 Disease Adhesions of lining membrane of lung
 Diagnosis Have had Intermittent fever.
 when admitted had a fever and a stitch
 on right side, flushed cheek, cough,
 dullness over lower part of right side, rough
 sound over that spot

Treatment, Cups, or blister over side, Febrifuge,
 mild Mercurials, and as a fixed horn hope.
 tap the thorax, when there is an effusion.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Surgical Clinic Bloctley Nov 11 1865

Subject age. In Hosp

Disease Mild Case of Inguinal Hernia, Truss

Subject Old man

Disease Inguinal Hernia Truss

Subject an Old man Disease Scrotal Hernia

Subject An old man Disease Inguinal Hernia

Subject An Old man Disease Inguinal Hernia

Subject Darky boy. Disease Scrotal Hernia

Medical Clinic College. Nov 11 1865

Subject man. age 45.

Disease Ascites

Diagnosis. The serous wave felt under
percussion, short breath under exertion,
oedema of extremities, tongue white and
transversely fissured, stomach tensed, beating
of heart irregular and quick, the carotid and
semi lunar can not be heard acting

Treatment R Chlor Noydrang gr \overline{IX}

Digitalis gr \overline{XVII} .

~~Syrup~~ Scilla gr ~~VII~~ \overline{XXIV}

Mf. In pillule \overline{IX} Div

Take one 3 times a day with Dover at bedtime
good diet

Subject A young man, age 19.

Disease Phthisis Pulmonalis

Diagnosis. Taken with pain on lungs last spring
matrix of nail livid but the nail transparent
cold from 9 o'clock AM to noon. Fever in the
afternoon, can not lie down, on account of
something causing him to cough, coughing
in morning and at night, expectoration of
frothy mucus with lumps, coarse mucus
rattle under left axilla, and hectic
heat, thick respiration, unclear respiration and
dulness of chest, under emaciated

Treatment. Supportive and palliative,
stimulant with very best of diet

Rx Hyoscyamus gr ~~IV~~ V

Morphia gr $\frac{1}{6}$

Opium Sulph gr II.

M

8 One at bedtime.

Sponging body with alum and whiskey
to prevent sweating.

Surgical Clinic College. Nov 11 1865-

Subject Annie Bortner age 24

Disease Tertiary Syphilis

Diagnosis Sore on arm, scalp, hair falling out, pain and smarting swelling of bones and scalp, sore throat last March, lost a great amount of flesh, pale, discharge from nose

Treatment Iodide of sodium gr ~~VI~~ 3iij

" " of iron " 3i

Bi Chlor Mercur, gr II

~~Use~~ locally Oint Nit Mercury, diet nourishing

Subject Mary Duns age 18

Disease Cystic bag in a state of disease

Diagnosis Tumor 4 months standing on right hand below wrist joint, no pain

Treatment, Cut up the cyst with the letomony place a compress over

Subject Mrs Ann Ellen age 50

Disease Epithelial Cancer, scirrhous of anus

Diagnosis Trouble two years, no control over bowels, tumor on right side of glutis maximus communication between rectum, vagina and bladder, great constant sharp pricking

pain, can't sleep, good appetite a hard ridge
on right side of anus

Treatment Palliative by cleanliness, deodorizing
injection also anodyne injections

Subject Charles Thatcher age 40

Disease. Hypertrophy of left eye.

Diagnosis. Deposit of plastic lymph in anterior
chamber of eye. 4 week old.

Treatment Puncture the cornea, tonic and
nutritious diet. Iridia et Ferri, with an anodyne
tepid water with acet Plumbi et opii application.

Subject Newton Weston. age 4.

Disease. Calculi in bladder

Diagnosis. Pain, frequent micturition, violent
straining, loss of sleep, passed two calculi by urethra
spontaneously, one extracted per scrotum.

The remaining ones supposed to be fixed in
the substance of prostate gland

Treatment. Lithotomy

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic Nov 15th / 1865

Patient, lady. ^{Congenital malformation} Diagnosis. Pain in head also on top, Rheumatism stopped about two years, pain in lumbosacral region, subject curuncle on labia of vulva, which are swollen, redness of posterior half of vulva walls of vagina heated, rather dry, As size of head of pin, menstruation perfect, Vaginal mucous membrane of granulating character, result of chronic inflammation, the bladder acting by sympathy treatment, coat the vagina with nitrate of silver, every day use injection of ^{equal} vinegar and water. nine-glass to pint of water of the parts are hard, lime water & oil

Phthisis Pulmonalis

Patient - Lady. Deficiency of circulation in nails of finger, chills at night, soreness of side, appetite gone, cough severe, very weak in morning, yellow phlegm spit up. Loss of flesh, Voice rough. Respiration a little loud

Surgical Clinic

Patient, Girl. Tonsillitis. Enlargement (fresh me)

Treatment. Removal of portion of same
for prevention of hemorrhage, Rochelle salts, Brick
a gargle with alum

Patient Old man Ectropia, removal of a small
portion of tarsal cartilage, bringing parts together by
suture, as in hair lip.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

dull sound on percussion, resembling
the sound of broken tea-cup.

Treatment - Muratic acid, dilute
sulphuric acid, ten, fifteen drops
quart of whiskey with handful
of alum. sponge body with it, opiate
morphia or black drop every two hours

Patient - Lady, Diagnosis, weakness
in pit of stomach, appetite pretty good,
intermittent fever last summer, leaving
this result, chronic congestion of
stomach remaining.

Treatment Friction & dry cups

Patient Lady, Diagnosis, weakness in
the pit of stomach, appetite irregular.

Treatment, Friction & dry cups.

After 10 days return to

J. W. H. REBER, M. D.,

Painter Station, Pa.

After 10 days return to
J. W. H. REBER, M. D.,
Painter Station, Pa.

REBER, J. W. H.
PAINTER STATION, PA.
JAN 10 1881

Laundice

Patient John Adams. Diagnosis, general
appearance of a yellow color, liver enlarged,
soreness of that part of the body. Tongue
thick and yellow white in middle,
urine highly colored with bile,
heat mild. Stimulating, Blister ^{mercurial} region
liver

Patient Woman. Diagnosis.

Falling of the womb.

Treatment Resection

Prof. E. Wallace

After 10 days return to
J. W. H. REBER, M. D.,
Painter Station, Pa.

Gonorrhoea (Gross)

(Treatment.)

In its incipient stage, the Balsam of Capivi combined with some antimonial and saline mixture, dose fifteen drops with six grains of the Bicarbonate of Soda, three times a day. Inject the Acetate of Lead $\frac{1}{2}$ gr to 13 water or Nitrate of Silver $\frac{1}{12}$ gr to the 13 water. Inject with a large syringe, and after withdrawing the syringe, hold the prepuce together with the thumb and finger. The Recumbent position should be retained. When it has attained the severe form or gleet, an injection of Nitrate of Silver $\frac{1}{2}$ gr up to $\frac{1}{2}$ gr should be given, with

R. Zinc Ferri Chloridi grt xxv
 " Cantharides grt viij. ^{3 days} three or four times

No good result has ever followed from cures in my hands.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Nov 29th Medical Clinic
Erysipelas

Patient. Male, 56 yrs of age, Diagnosis first taken with chill, tumour on the face, commencing on face gradually extending up to scalp, considerable swelling, of lips and nearly the whole head, depending upon a poisonous condition of blood. Scabs on nose, also vesicles forming, tongue red around edges black coated along surface, of a dry character. Has been delirious, pulse accelerated. The parts feeling pulpy.

Treatment. Cold applications to the head, but not to cold, Sulphate of soda table spoonful to pint of water as a local application. Turpentine combined with quinia also murial tincture of iron to build the system. The part painted with Iodine. Rectified the state of the bowels. Sugar of lead & opium as a local application. Beef tea, Brandy toddy &c as stimulants. Kept in cooling room separated from others.

Jaundice

Patient Male. Color over the whole body and extremities of yellow color depending upon disorder of the liver. Color of urine,

Treatment. Calomel to bring on healthy action of liver, bicarbonate of soda, blistering over region over the liver,

Rochelle salts to keep the bowels in action.
Hard Ader in very extensive cases of Jaundice

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

R
Lard $\frac{1}{2}$ lb
Oxide Zinc $\frac{1}{3}$ lb
Morphia \mathcal{Z}
Zinc Iodine \mathcal{Z}
Mix

Dr. Hottelstein R
for external use on Horses

Surgical Clinic Nov 29

Hydrocele & Bronchocele
Patient. Male. Diagnosis. Congenital,
 to diagnose a hydrocele darken one side
 and placing light on other you have dark
 light passing through, also by puncturing
 with the needle

Treatment. By puncture and injecting
 iodine also irritating the cyst that
 secretes the fluid.

Gangrene

Patient Male. Diagnosis Resulting
 from ossified condition of artery,
 deposit of calcareous matter depriving
 the limb from nutritive blood, causing
 death of the part. Sound of heart perfect.

Treatment. Stimulating treatment
 dressing with poultice, good diet.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Mania-a-Potus (Ludlow)

Patient Male. Diagnosis. Man habitual drinker suddenly ~~stopping~~ to drink, on account of superstition. Taken with disease two days ago. Violent motions of body, with screaming; destroying everything about him. Talking nearly all the time, with various images before him.

Treatment. First approach with caution, talk gently to him, and gain confidence, if that will not answer strapping to the bed or floor must be resorted to.

Then a stimulating treatment combined with narcotics. (morphia)

Whiskey then a narcotic to bring on a gentle sleep.

Digitalis or Veratrum Viride when the pulse is too strong and numerous.

Beef tea and a nourishing diet.

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

Dec 2nd Medical Clinic

P

Acute Rheumatism

Patient Male, Aged 45. Diagnosis. Had intermittent the Rheumatism in arms and legs. Excess of Uric Acid in blood.

Treatment. Sweating. Keeping bowels in regular order, small doses of colomel following it up with Rochelle salts.

Dovers powder at night to relieve pain and secure sleep.

In gouty tendencies use the wine of the recent root of Colchicum.

Infusion of snake root made from the dried root in twenty to thirty drops. Talcipos mixture. Blister on each side of ankle & knee joint. The wrap with cloth soaked with oil, medicated with opium & morphia. Hyper-endermic method by injecting solution of opium or morphia under the skin.

After 10 days return to

J. W. H. REBER, M. D.

... n ... on, Pa.

Epilepsy

Patient Aged 18 yrs. Diagnosis. Epileptic fits
one every three weeks. Excessive motion of the whole
body, throwing head back, rolling of eyes, frothing from
mouth, in some cases depends upon diseased uterus.
Sometimes from menstruation, from fright, indigestion &c
but mostly hereditary.

In this case depending upon black gumous discharge
instead of the healthy discharge during menstruation.

Treatment. In debilitated patients the Ferru-
Cyanide of Iron. Tend to condition of nerves & vagus
Bromide of Potash, Bromide of Ammonium
the best of the two.

Aconite
Asafoetida
Hyosceamus
In Epilepsy

Lupulin
Oleum Camara
Camphor
in cases of masturbation

M. REBER, M. D.

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

Medical Clinic Dec 9th

Fever with Chronic Diarrhoea

Patient. Male. Aged 26. Diagnosis. Fever contracted while in the army on the Peninsula, the fever occurring every third day. Exhausting Diarrhoea. Face of a ~~languid~~ appearance. Produced by miasmatic influence. No flatulence. No vomiting. Emaciated. No pain on pressure over abdomen.

Treatment Removing from the miasmatic district, regulate the diet. Placing in recumbent position. Warm application over abdomen. Administer an enema. (Opium, Blue Pill, Follow up with an astringent, 2gr Sugar of lead $\frac{1}{4}$ Opium. Dist. Arrow Root. Yarrow. with Burned Sugar. With Aromatic Powder (Chlorate of Potash). (Lemon juice & Opium). Subnitrate of Bismuth 3grs in 3 doses Nitrate of Silver with Morphine, Sulphate of Copper & Zinc. After passages. Injection of Starch or Sweet oil & lime medicated with Laudanum

Prognosis. Unfavorable

Hysteria

(Wallace)

Patient Female. Diagnosis Irregularity of catamenia, appearing sometimes at three and six weeks apart, lasting a day. Patient losing flesh. Of late, taken with severe headache. Pain in lumbo-sacral region and back. Cough during winter. One hour before attack comes on, feels weak, and a ball (globus hystericus) rising up from the pelvis and proceeds to the throat almost suffocating. Throws her head and arms back (opisthotonos), foam at the mouth. Grasping the throat, eyelids moving up and down, eyes fixed sometimes half-open, breathing almost imperceptible, unconscious for six hours. Hysteria depending on ~~treatment~~ the irregularity of menses.

Treatment. Cantharides

Iron

Aloes

} as an Emmenagogue

also Oil of tansy.

After 10 days return to

J. W. H. REBER, M. D.

New York, N. Y.

Blackley Jan 3^d 1866

(Steele)

Patient.

Typhoid Fever (mild)

Patient. Male 30. Diagnosis. Commenced with a feeling of weakness, but not confined to bed. Before taking his bed had chill. Pulse 108. Bowls loose. Ragged and sallow look of face. Skin moist. Tympanic abdomen. No pain on pressure. Spots over abdomen disappearing on pressure. Tongue moist, of dirty white coating.

Treatment. In a mild form of typhoid Stimulants are unnecessary, but in the worst forms they are important.

(Steele)

Empyema (Chronic Pleurisy)

Patient Male Age 20. Diagnosis. First taken with chill. Hard, of club appearance nails rounded, fingers swollen. Pain on right side. Oedema of lower extremities. Contraction of right side dilatation of left side. Left side expands on breathing, right side ribs alone are raised. Respiration, Sub-crepitant, rale. greatest at upper

J. W. H. REBER, M.D.

Painter Station, Pa.

part of chest diminishes as you descend.

Treatment Tonic Medicines, and Nutrients
diet, Iodide of iron 10 drops three times a day
and liver oil.

College Jan 3^d 1866 Brader
Patient. Child, Eczema Capitis.

Treatment. (Ung. Hydrag. Mel. 3℥
with Flaxseed poultice) applied on scalp.

Howells Solution. 2℥s each day

Phthisis, Pulmonalis

Patient. Male, Diagnosis. Cough, losing
of flesh, pain chest, appetite good.

On Percussion, dullness on the left side,
blowing sound on expiration.

Spitting of thick Mucous.

Treatment, Nourishment, Beef, Cod-liver
oil, Brandy, Iron.

Syrup of the Iodide of Iron ʒss in a
tea-spoonful of Cod-liver-oil three
times a day. For night sweats and fever
Quinine. Exercise when the weather is
pleasant.

Surgical Clinic
Blackley, Lon 3rd

(gross)

(1) Patient: Lady. Ankylosis of fingers result of a Palma abscess. Treatment: Bandaging fingers, keeping them bent for 24 hrs at a time.

(2) Patient: Male. Ankylosis of Knee Joint. Treatment: Extension by adhesive strips, bandaging and applying weights

(3) Patient: Male. Necrosis of the bone of the thumb resulting from whitlow. Treatment: Removal of dead bone.

(4) Patient: Male. Varicose condition of veins, with ulcers and considerable swelling with redness resembling elephantiasis. Treatment: Keeping the leg ^{elevated} ~~placed~~ with an inclined plane. Afternoon bandaging to reduce swelling.

Hydro
Co (5) Patient: Male. Hydrocele. Sack of hydrocele of the shape of a pyramid, testicle generally at the base. It differs from sarcocele by its shape, irregularity and feel, from hernia by having a space

41
between sack and abdominal ring.
treatment. By capping.

Patient Male. Anal Fistule, with discharge
of mucus & pus with gas from intestine.
treatment. Opening of the fistule

Patient Female Aged 25. Diagnosis, tramped
on something with post bile resulting in
necrosis,
treatment

After 10 days return to

J. W. H. REBER, M. D.
Painter Station, Pa.

Medical Clinic
College Jan 3rd/66 Biddle
Lamondie

Patient, Female: Diagnosis, Dark yellow appearance, Enemie. On percussion over liver shows contraction. Carosis of liver, Swelling of spleen: Had ascitis.

Degeneration of liver.

Treatment, Reconstructive, Iron

R $\text{gr } \frac{1}{2}$ Carbonate of iron
 $\text{gr } \frac{1}{10}$ Streptocin
 $\text{gr } \frac{1}{2}$ Luminia three times day.

Pleurisy.

Patient, Male. Diagnosis: Sharp cutting pain in chest. Cold skin, full frequent bounding pulse. Dullness on percussion, Absence of respiratory murmur, Adhesion of the coats of the pleura, by serum.

Treatment: Half Dozen wet cups, to chest, then apply the poultice, to be changed 4 or 5 times a day. Doses of Powder gr at bed time

Colomel $\text{gr } \frac{1}{2}$. Diet, Nutritious

43

Surgical Clinic
College Jan 30/66 (Pancost)

Patient. Child with Onco Maligna,
removal of the nail, cauterize with nitrate
of silver, then apply

R Acetate of lead $\frac{3}{4}$ ss

Laudanum $\frac{3}{4}$ ss

Aqua

Pint $\frac{1}{2}$ (if it gets sore

apply poultice)

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Patient. Child. Sprain of ankle,
deposit of amorphous fluid. Inflammation
General treatment, tonics,
Locally, bleeding,

$\frac{3}{4}$ ss Lead

$\frac{3}{4}$ ss Laudanum apply with lint

Patient. Handsome young female
with sebaceous tumour on forehead.
Removal of same, parts brought
together by 3 sutures, apply lint
with oxide of lead ointment.

Jan 6th 1866

(Stud)

Empyema of lung

Patient Male. Diagnosis. Little expansion of chest during inspiration. Instead of chest lifted up the breathing is abdominal.

Chest spindle shaped, thick in middle, narrow above and below.

Dullness on right side.

Sonorous Bronchi on both sides.

Treatment. Stimulating Expectorant Capaiba. Iodide of Potassium has a beneficial effect. Runch for the oppression.

Intermittent Fever (Stud)

Patient Male. Diagnosis. Enlargement of liver, Oedema of lower extremities. Pain in left side and back. Spleen not very much enlarged.

Treatment. Region over liver painted with Iodine, Internally Quinine with iron.

Jan 6th, 1866.

(Slute)

Inflammation of lung with diseased heart
Patient. Male. Diagnosis. Loarsness and
 heaviness in breast, redness of extremities
 cough, with expectoration, nausea and
 vomiting, whitish deposit in urine of an
 alkaline reaction. Skin cold of
 marble character. No pulse in Radial
 ulnar artery. Incoercible bronchi on
 both lungs. Action of heart irregular &
 intermittent. Abdomen containing a
 liquid. Bowels castive. Conjunction
 of yellow color. Unable to lie down
 with panting. Nails at first pale
 now of purple color. Abdominal
 breathing.

Treatment. Stimulating treatment
 whiskey. Cups on chest. oil of
 Turpentine in hot water. Plaster on
 chest. Lime water and milk to
 correct vomiting.

After 10 days return to
 J. W. H. REBER, M. D.
 Painter Station, Pa.

Surgical Clinic Hospital Jan 6th 1866 ~~From~~
 Subject. Man. Disease Syphilitic Caries of forehead
 Diagnosis. Discharge of bone. has had Caries of nasal
 bones destroying the articulated bones.

Subject. Boy. Disease. Secondary Syphilis.
 Diagnosis. Red sores on legs, also a suppurating
 abscess of neck. Treatment. Putting a Tent in,

Subject Man Disease Necrosis of distal phalanx
 of big toe, right foot, Treatment Removal

Subject Woman Disease. Varicose vein
 Diagnosis. Ruptured vein, Internal, Varicose.
 an ulcer at ankle threatened. Treatment
 Subcutaneous ligation, the leg and ankle
 bandaged.

Subject Man. Disease Ulcers on both legs
 Diagnosis. Indolent, edges unhealthy, and
 elevated. Treatment Chronic Acid applied
 To edges, once a day.

Subject. Man. Disease Ulcer on leg.
 Diagnosis. Received. injuries from railroad
 accident, a bad crateriform formed.

After 10 days return to

J. W. E. REBER, M. D.

Lebanon, Pa.

Medical Clinic, College Lane 6th 1866. Bidder

Paralysis resulting from typhoid fever
Patient. Male. Diagnosis. Partial paralysis of
left arm and leg. No pain. Resulting from an
attack of typhoid fever.

Treatment. If there was pain along spine or
neck, Iodide of Potassium. But the treatment
must be nutritive. Animal diet. with

R Quinine $\frac{1}{2}$ gr
Nux Vomica & Strychnia $\frac{1}{10}$ gr
Carbonate of Iron $\frac{1}{2}$ gr, five times a day
with wine as a stimulant

Bronchitis & Aphonia Bidder

Patient. Male. Diagnosis. Taken with cough
and throat. Pain in head and chest. Throat
tender to the touch. Loss of flesh.
Bronchial Rattle, Mucous Bronchi.

Inflammation of larynx extending
down the trachea, great expectoration.

Treatment. Cod Liver oil one table-
spoonful three times a day in a
bottle of port. with (R Quinine 1 gr.
Strychnia $\frac{1}{10}$ gr, Carbonate of Iron $\frac{1}{2}$ gr) five times

a day, (3i ^{Bal} of Tolu with 3j of E(ther) by inhalation

Inflammation of Larynx

Patient Male, Diagnosis. Cough about four weeks. Had whooping-cough about four years ago. Swelling of chest. Loss of flesh with hectic flush. Bowels regular. Respiration normal.

Treatment Cod-liver-oil

R Comp Tinct Santon 3j
Bicarb of Potassa 3j
Tinct of Rhubarb 3j

Mix Teaspoonful morning & Evening

After 10 days return to

J. W. H. REBER, M. D.

Mer. Station, Pa.

(Anemia resulting from intermittent fever)
Patient Male, Diagnosis. Commenced with cough. Chills and fever last summer. Anemic appearance. Respiration feeble on left side. No difference on percussion. Enlargement of spleen.

Treatment. Good diet. With Chalybeate treatment. with Strychnia 10gr. Quinine grj (Carbonate of Iron grj) one five times a day. With herb tea wine. &c

Surgical Clinic. Boerger. Pancreas
 Subject Child. Disease Potts Disease (Caries of spine)
 Treatment. Keep her in a recumbent position. give a
 salt bath every day Dr Sulph Zinnia gr I. Alls. Phospho-
 of Iron grs. Three times a day. nutritious diet

Subject Roman. Disease Pericystitis
 Diagnosis Villi of tongue not distended producing
 a coated appearance. oedema of left foot.
 Treatment. Scarification by Knife. place a splint
 over part, Acet Rumbi et Opri To part. aa 1/5 to
 Aqua Op. Zinnia et Ferri intermisen, with
 best of diet

Subject Man. Disease
 Diagnosis. Tumor on right thigh, fluctuating
 never very painful, discharges blood fluita. a cyst
 very vascular, Treatment
 Treatment, First take the contents of tumor out
 afterwards take away the cyst. bring the
 wound together with sutures and after a time
 apply poultices

Subject. Soldier Disease. Gunshot wound
 Diagnosis Wound in fore ^{left} arm at Fordonckburg
 16 pieces of bone. taken away. an abscess formed

50
The main artery destroyed.

Treatment: Incision to open abscess. a
poultice applied, afterwards probe for necrosis

Subject Egyptian, Disease

Diagnosis Tumor on inner side of the left
thigh

Treatment: Tapping, Washing the cavity with
a solution of Chlor Zinc $\frac{ss}{11\frac{1}{2}}$ to oz
Subject

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic. Buckleydam 10th / 66 (State)
 Patient. Male. Diagnosis. ~~Dropsy~~ of lower extremities
 of the heart, excepting a space of an inch near
 the left nipple. Lies quietly, with abdominal
 breathing. Cough. The oedema of an intermittent
 character, when he takes cold, the dropsy
 appears. Dropsy depending on simple weakness
 of the heart.
Treatment

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

(State) (Hypertrophy of Heart. Formerly Pericarditis.)
 Patient. Male. Diagnosis. Some eight or
 months ago took cold with cough from
 exposure, with white expectoration slightly
 yellowish, Bronchus raw, with palpitation
 of heart. Unable to lie down. Heart enlarged.
 Friction or rubbing round.

Treatment. Mustard plaster over chest.
 dry cups also between scapulas. Alcoholic
 stimulants to excite circulation

Jan 10th Blockley, Medical (Steel)

Dyspnoea - Cerebro-

Post Mortem. Man 60 years of age. Liver crossed, surface rough. Color whitish. Inside of a nutting character. Spleen enlarged hard, and brittle, lungs. Top of right lung hard, congested, lower lobe edges sharp. Smooth surface. Opposite ^{top} lung black nodules surrounded by pulmonary tissue. Middle lobe of right lung, dense. Heart. Left ventricle enlarged. Walls thickened, accounting for the heaving and strong impulse. Filled with clots of blood filling the veins with it, and causing the dark color of the skin. Right side of the heart hypertrophied, also filled with clots. Aorta, atheroma of the valves of the Aorta, resembling ossification, but being composed of the Phosphate and Carbonate of lime,

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

(Bloesley) Surgical Clinic Jan 10th /66. Sect.

Patient. Male. Frost-Bite resulting in
 mortification. Treatment - Sweet oil with
 tincture of Iodine. Temperature low.
Rubbing with snow or rain.

After 10 days return to

J. W. H. REBER, M. D.,

Painter Station, Pa.

PATIENT'S
NAME

ADDRESS

R

Vaginal Antiseptic & Astringent Tablets
Tablet 8.

For insertion, locally.

FULL
NAME

M. D.

OFFICE
ADDRESS

HEADINGS DRUG STORE

LEWISTOWN, PA.

REG. No.

DATE

W. H. B. & Co. Ltd.

BOND

100

100

100

100

Medical Clinic. Blockley Jan 13th 1866 Steel
 (Caries of Lumbar Vertebrae with Pleurisy & Paralysis)
 Patient. Male Diagnosis. First taken with pain
 in left lumbar region, extending around to stomach
 down the limbs. Afterwards noticed prominence
 in left groin. Incapable of motion. Some what
 emaciated lays on his side. Left side of chest
 half inch larger than right. Bronchial
 respiration in top of left lung. Curvature of
 spine. Flatness on percussion on left side.
 Protrusion of seventh dorsal vertebrae. Caries
 of spine resulting in abscess, pointing beneath
 purpura ligament near the Anterior Superior
 spinous process. Abscess of spine never exists
 with later closure of the lung.

Treatment Taking off the pressure of the upper
 part of spine. Good food. Iodide of Iron. not
 to irritate the stomach. Mild counter
 irritation on both sides of spine.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Jan 13th 1866

Steel

Post Mortem.

Patient. Female. Trouble with heart. Dropsy of lower limbs, Bloody mucous from mouth of uterus. Large graafian follicle in ovary, showing that woman was menstruating. Apoplexy of lung, dark color, browned with healthy lung. Heart enlarged, Left side enlarged, walls thickened. Right side ordinary size. Valves of the heart, in a rough state. Giving cause to that peculiar sound of heart.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Anodyne Lissamen

Zinc Opie

" of Cantharadine

Spt of Ammonia

... .. Camphora

Alcohol

Sweet Oil

Mix - Apply as needed good for

Old Strains

Zinc of Capsicum

Hollenstein

Live Surgical Clinic. Blockley Jan 17th /66
 Tumor

Patient - Male. Enlargement of lymphatic glands of neck. Treatment. Application of the metallic iodine with cones internally

Burn

Patient. Female. Extensive burn of the lower extremities.
 Treat, Carbonate of lead with unseed oil, applying with brush laid over with cotton

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic, Jan 17th / 1866. Blockley (Stable)

Fatty Degeneration of heart.

Patient: Male. Diagnosis. Three weeks ago oedema of feet commenced. Slight palpitation of heart. Pulse slow & feeble. No movement of chest over the region of heart, pulsations heard feebly.

No enlargement of heart.

Treatment. Fomies & Valerian as a nervine

Empyema of Lung - Incision of Lobula & Crural equal parts, $\times \times$ grs three times a day. with a plaster over chest. with (Lubricating) Carbonate of Iron gr ss, Strychnine $\frac{1}{60}$ gr, one three times a day in cod liver oil, teaspoonful

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic Jefferson Jan 13th /66

Heart Disease. Endocarditis
Patient. Male. Diagnosis. Never had Rheumatism
 exposed and was met. Abdominal breathing
 Blowing murmur between third and fourth
 ribs. Heart enlarged, thrown to the right
 side. Perhaps disease of mitral valves with
 regurgitation of the blood. Pulse irregular,
 88, weak.

Treatment. Digitalis grj & grjj Carbonate
 of Iron $\frac{1}{60}$ gr of Strychnia once a day.

Chronic Pharyngitis.

Patient. Male. Diagnosis. Cough. Dullness
 with friction sounds. Rubbing of Pleura
 Heat. Blister, oil of Emuiper berry with
 Cream Tartar the pill $\frac{1}{60}$ gr
 Carbonate of Iron $\frac{1}{60}$ gr
 Strychnia grj

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Palpation of Heart from Rheumatism Jan 13th /66

Patient. Male. Diagnosis. Disease of the
Aortic valve. Pulse of 120.

Treatment. Blister, oil of Turpentine &
Cream of Tartar, ℞ Strychnia $\frac{1}{60}$ gr

Carbonate of Iron $\frac{1}{2}$ gr
one three times a day Leucinia $\frac{1}{2}$ gr

Jan 17th /66 (Biade)

Epilepsy (in the first stage)

Patient. Male. Diagnosis. Twitching about the
mouth. pain in the pit of the stomach.

Treatment. Bromide of Potassium in solution
teaspoonful three times a day, one compound
cathartic pill at night—

Pericarditis

Patient. Male. Diagnosis. Taken with
pain in side, and cold, sharp cutting pain
when breath is drawn, quick, feeble pulse,
mild malar.

Treatment. Counter irritation over heart
strong diet. with Digitalis $\frac{1}{2}$ gr. Carbonate of
iron $\frac{1}{2}$ gr Strychnia $\frac{1}{60}$, three times a day

Surgical Clinic Jan 17th 1866.

Painful

Non-Malignant Tumor of Breast
Patient: Female. Diagnosis: Some fluctuation
Treatment: Puncture

Child. Eversion of Scalp. Treatment. Dressing of
 of Linnine, 1 R Calomel, 2 gr of Armatic
 powder, x gr Prepared Chalk + Dover's ^{confection} ^{of} ^{opium} ¹⁵ grs
 Starch poultice on head. Simple oxide
 of zinc ointment (1 oz lard 3 \mathbb{M} of Zinc)

Patient: Female. Swelling with inflammation
 of ankle joint. Treatment: Puncture +
 Apply (Eck of Lead $\frac{1}{2}$ oz & $\frac{1}{2}$ oz of Laudanum with
 1 oz of Water) to part. Constantly. Bandage to
 prevent evaporation. Rengaline
 (Calomel \mathbb{f} gr Rhubarb \mathbb{f} gr. Sugar \mathbb{z} j.)
 with good diet.

Paronychia

(Iodide of Cadmium x \mathbb{v} gr to Lard oz \mathbb{j})
 to part

College Medical Clinic Jan 17th /66 Bradlee

Anemic dropsey.

Patient, Female. Diagnosis. Unable to lift the left arm. Tenderness around the region of the Scapula. dropsey of knees, causing the other symptoms.

Treatment. Tonics. Restoratives.

Camphorated Soap with laudanum to the affected limbs, R. Strychnine $\frac{1}{60}$ gr. Carbonate of iron $\frac{1}{4}$ gr. Quinine $\frac{1}{2}$ gr. Cream of Tartar with Juniper berries with nitre & potassium.

Exema

Patient, Male. Diagnosis, breaking out of red spots on the legs.

Treatment, Fowler solution ^{5 gr} 10 qts in wine glass of Decamara, with an application of Hydrargyrum Miti to the parts, and warm bath.

~~3 gr to the gland~~ 40 gr to 13 lobes
3 gr to the 13 lobes

Medical Clinic (masturbation) Biaddi
 Patient. Male. Diagnosis. Loss of flesh. pain
 in left side, murmur of heart.
 Treatment. Bromide of potassium in Cod
 liver oil, with little Bromide of iron, used
 at the county prison

Medical Clinic) Jan 20th Biaddi
 Graves disease. Palpitation of heart
 Patient Female. Diagnosis. Commenced
 to swell outside of throat, palpitation
 when going up stairs. Enlargement of
 thyroid gland, sometimes disappearing,
 breathing calm. Slight prominence of
 the balls of the eye. No organic change
 of heart. Disease depending upon Arterial
 ganglion of sympathetic nerves enlarged
 Treatment. $\frac{ij}{\text{ss}}$ Iron & Strychnia $\frac{ss}{\text{ss}}$ and
 cod-liver oil teaspoonful, three times
 a day

Scabies. Carbolic Acid

Surgical Clinic Jan 1866

Patient, Child, Fungus Hematodes, treatment
time, with lotion to part.

For Colds & Coughs

Rx By Sam. Wash.

French Brandy	℥ss.
Oleum Caryophyl.	℥ 3ss.
Capsicum	℥ss.
Camphora	℥ss.
Oil of Hemlock	℥ 3ss.
Juice - Opium	℥ 3ss.
Morphiac Sulphas	gr iij

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

It Infus. Opium, Throm vgtt to a half tea-
spoon full, Three times per diem

Medical Clinic Jan 20th /66 Steele

Paralysis of lower extremities

Patient. Male. Diagnosis. Caused by portion of the mine falling on his back, while engaged in mining. Twitching of the extremities when not supported. Urine sometimes passed involuntary. Kicks when feet are touched. Loss of motive and not of sensitive power. No lesion of spinal bones. (Sylling)

Treatment. Electro Magnetic battery used but without effect. Current Irritation.

Belladonna by diminishing the amount of blood in the spinal cord. $\frac{1}{4}$ gr three times a day until it affects the eye.

Bromide of Potassium by acting in the same way. $\frac{1}{2}$ gr three times a day

Pericostitis of Spine. (Specific)

Patient, Female. Diagnosis. Violent pains in right arm, from shoulder to fingers. Fingers cramped, continuing four weeks. Afterward lower extremities became affected. Nocturnal pains. Enlargement over spinal bones

hair has fallen off. Some sore throat.
 Paralysis of extremities caused by bony projec-
 tions of the spine extending into spinal cord.
Treatment. Iodide of Potassium with
 quinine & Iron with blistering

Jan 20th Biddle

Incurable Cough

Patient. Male. Diagnosis First-taken with
 pain in side, got wet from exposure. Cough,
 enlargement about the
Treat. Chlorate of Potassa $\text{vi} \text{ } \mathfrak{z}$, $\text{ij} \text{ } \mathfrak{z}$ water
 Quinine

Paraplegia. (Spinal Meningitis)

Patient. Male. Diagnosis. Paralysis of
 arm and somewhat of leg. Thickening
 of Dura Mater. Resulting from Rheumatism.
Treatment. Iodide of Potassium $\times \text{gr}$
 doses three times a day with a teaspoonful
 of Cod liver oil.

Patient. Male. Diagnosis. Swelling of Stomach
 pain on top of the head & sides, wind from
 Stomach.

Remedy. Beef Tea, Iron with

Strychnia $\frac{1}{60}$ gr

Carbonate of Iron $\frac{1}{2}$ gr

Leucine $\frac{1}{2}$ gr

one three times a day

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Blackley, Medical Clinic Jan 24th 1866. (Steel)

Saline. Female. Diagnosed. Age 42 yrs unmarried. (See also record on p 100)

nothing from an affection of the cellular tissue of the forearm and leg. Much distended. Searching for her mother who has been dead for some time. Disease of the heart. Shallow of breathing the fingers are black the whole hand. Skin of the forearm tense. With gradual drinking of the part.

Medicine. (Acetate of Potash). The case had been cured but without effect. (See also record on p 100)

Saline. Male. Diagnosed. Age 20 yrs. Had a chill last summer followed by pain. Some on throat. Pain in side. With red color of the skin. Swelling of face. Then extending to the lower extremities. Affection in the urine. No swelling of liver or spleen. Treatment. Diuretic. (See also record on p 100)

Medical Clinic. Jan 24th / 66 (Steel)

(Valvular disease of Heart. Bright's disease of the Kidneys)
Patient. Male Diagnosis. Aged 26 yrs. Had acute
 rheumatism some yrs ago. Never sick, until March
 last, when he had swelling of the lower extremities,
 extending upwards involving the body and head.
 Violent cough with expectoration. Palpitation
 of heart. Nearly pint of blood discharged
 from the lung. Urine bloody and scanty.

Congestion of the Kidneys resulting from exposure.
 No dropsy at present. Sleeps very little, on
 account of pain in back, in region of Kidneys.
 Blowing murmur in heart. Liver is enlarged.
 Sp. Gr. of Urine 1.012. Liver congested on account
 of the obstruction of the heart, which causes
 the dropsy, the albumen in the urine.

Mitral Valves diseased or obstructed, Valves
 of the Pulmonary Artery of a louder murmur
 than the Aorta.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic Jan. 24th /66. Biddle

Rheumatism of the Intercostal.

Patient. Male. Diagnosis. Taken with cold, cough. cannot lie down. pain in breast.

Catching of breath during breathing.

Treatment. Half dozen cups on the side.
x gr of Dover's powder at night.

Phthisis Pulmonalis

Patient. Male. Diagnosis. Been sick eight yrs. affected with cough, lung on the right side consolidated. Bronchial respiration. Dullness on percussion. (Fattened area of consumption.)

Treatment. Tonic. Beef Tea. Iron, Cod liver oil. Syrup of the Iodide of Iron $\times 119$ three times a day. $\vee 19$ of Zinc of Nux Vomica three times a day. with tea 1 spoonful of Cod liver oil. Syrup of Prunus with Lig. Morph. Sulph.

After 10 days return to

J. W. H. REBER, M. D.

La nter Sta. on, Pa.

R

FOR.....

drawn

Gum Tragacanth 3 1/2
Perfume 1 4. Gill
Alcohol 4. "
Glycerine 4. Gills

1 Dissolve gum in
3 pints of cold water
over night or twenty
four hours, then
strain through sieve
then add the above
Carriol

M.D.

R

For

M.D.

Medical Clinic Jan 27th / 1866. (Steele)

General Anasarca

Patient. Male. Diagnosis. Edema of the lower extremities has not been exposed to any cold or fatigue.

Treatment. Decalate of Potassa and Juniper berry infusion.

Turner in life hypochondria

Patient. Male. Diagnosis. Aged 23 yrs. Last July taken sick with fever, with vomiting, No Diarrhoea. Chill with fever every other day. At present has diarrhoea. Dullness on percussion to the right of the Spleen.

Treatment. Mild diet. Milk, toast

After 10 days return to

J. W. H. REBER, M. D.
Painter Station, Pa.

Anemia

Patient. Male. Diagnosis. Six yrs ago had intermittent. In last six months been working in a cellar, lighted with gas. Three weeks ago palpitation of heart commenced. Two weeks ago had night sweats. Three weeks ago had slight swelling

of feet. Urine abundant and lighter in color.
 Weak. Muscles loose and flabby. Noise
 in the ears. Sounds heard best heard over
 the Aorta and Aorta. Strong pulsations felt
 in the arteries of the neck. Spleen enlarged.
 Face very pale also tongue and lips.

Pulse 120.

Treatment. Iron

Remember me
 Where this you see

E. L. Hottenstein

Walnut Grove,

Warren County

Indiana

PLACE THIS LABEL ON THE BOTTLE OF MIXTURE

Concentrated Pine Mixture

Formula for Cough, Colds and all affections of
 the Throat and Lungs:

Concentrated Pine Compound	half ounce
Glycerine	two ounces
Whiskey	eight ounces

DOSE: A teaspoonful to tablespoonful after each
 meal and at bed-time.

Concentrated Pine Compound prepared only by
 The Globe Pharmaceutical Co., 29 S. Clinton St.,
 Chicago, Ill.

SHAKE WELL EACH TIME

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

GONORRHEA

℞ Fluid Ext. Hydrastis.....9 drachms
Bismuth Subnit.....9 drachms
Glycerite of Tannic Acid...2 drachms
Abican.....1 ounce
Mucilage Acacia.....2 drachms
Distilled Water q.s.to make 7 ounces

M. Sig.—As injection three times a day
until discharge disappears.

℞ Lead Subacetate.....4 grains
Morphin Sulph.....4 grains
Abican.....6 drachms
Fluid Ext. Hydrastis.....4 drachms
Distilled Water q.s.to make 4 ounces

M. Sig.—As injection three times a day
until discharge disappears.

℞ Bismuth Subnit.....4 drachms
Abican.....4 drachms
Morphin Sulph.....3 grains
Berberin Muriate.....10 grains
Distilled Water.....4 ounces

M. Sig.—As injection three times a day
until discharge disappears.

℞ Fluid Hydrastis (Lloyd)....3 drachms
Phenol.....5 grains
Abican.....4 drachms
Rose Water q.s. to make....6 ounces

M. Sig.—As injection three times a day
until discharge disappears.

℞ Tinct. Opium..... $\frac{1}{2}$ ounce
Glycerine..... $1\frac{1}{2}$ ounces
Abican.....2 ounces
Rose Water q.s. to make....6 ounces

M. Sig.—Inject every three hours.

KENNEDY'S PINUS CANADENSIS

Kennedy's Pinus Canadensis—LIGHT—Non-Alcoholic

New Name: **ABICAN**

To each fluid ounce of Light Pinus Canadensis there are added 24 grains each of pure Alum Potash and Sulphate of Zinc and .48 grain Thymol. **THE LIGHT PINUS CANADENSIS SHOULD ONLY BE USED AS AN INJECTION AND EXTERNALLY.** *In all other cases the Dark extract should be used.*

KENNEDY'S PINUS CANADENSIS—Is a highly concentrated product. Hence the following suggestions for its use:

FOR GONORRHEA OR GLEET—One part of the extract in seven parts of water, for injection three or four times a day.

FOR LEUCORRHEA AND OTHER VAGINAL CONDITIONS—A teaspoonful or two of the extract in a pint of warm water, injection twice a day. For obstinate cases a stronger solution.

AS A DOUCHE—Kennedy's Light Pinus Canadensis is of very great value in leucorrhea, and should be prescribed as a douche twice daily—one to three tablespoonfuls to the quart of water, as hot as can be borne. Vaginal tamponade with KENNEDY'S LIGHT PINUS—four drams to the ounce of glycerin—is exceedingly useful as a local tonic to the vaginal mucous membrane.

Kennedy's Pinus Canadensis—DARK—Non-Alcoholic

New Name: **DARPIN**

ALKALINE MEDIUM—When an internal mucous astringent is indicated, in such cases as cholera infantum, etc., KENNEDY'S DARK PINUS CANADENSIS should be given in an alkaline medium.

AS AN INTERNAL REMEDY IN DIARRHEA, DYSENTERY, NIGHT SWEATS, HEMORRHAGE, PROFUSE EXPECTORATION—One part of extract to five of warm water, after cooling, teaspoonful doses every three hours, or oftener, as required.

FOR SORE THROAT—A teaspoonful in a half-pint of warm water, cooled and used as a gargle, repeating as required.

FOR CATARRH—One or two teaspoonfuls in a pint of warm water, applied as a nasal douche twice a day.

FISSURES OF THE ANUS, ULCERS, BURNS, OR SCALDS—Apply in full strength.

FOR PROTRUDING OR ITCHING PILES—Add one-fourth of glycerin and apply as often as convenient.

Linen soiled with DARK PINUS CANADENSIS should be soaked in cold water over night and then laundered.

RIO CHEMICAL COMPANY, 79 BARROW STREET, NEW YORK CITY, N. Y.

Gonorrhea in the Male

ACUTE STAGE:

℞ Abican.....1 ounce
Rose Water.....7 ounces

M. Sig.—Inject 2 or 3 syringefuls four times a day until discharge becomes thin and watery then use one of the injections following:

SUB-ACUTE AND CHRONIC STAGE:

℞ Darpin.....1 ounce
Rose Water.....4 ounces

M. Sig.—As injection three times a day until discharge disappears.

℞ Fluid Ext. Hydrastis.....1 ounce
Morphin Sulph.....7 grains
Abican.....1 ounce
Witch Hazel Dist. } equal parts
Distilled Water } to make 8 ounces

M. Sig.—As injection three times a day until discharge disappears.

℞ Lead Acetate.....24 grains
Abican.....1 ounce
Distilled Water.....6 ounces

M. Sig.—As injection three times a day until discharge disappears.


GONORRHEA:

℞ Fluid Ext. Hydrastis.....1 ounce
Abican.....1 ounce
Distilled Water.....8 ounces

M. Sig.—As injection three times a day until discharge disappears.

"G. P's,"

The Menopause



A most trying period to woman and a condition more or less perplexing in its treatment.

Gratifying results are reported from the use of

ALETRIS CORDIAL RIO

as a Uterine Tonic

and

CELERINA

as a Nerve Tonic


equal parts, making the dose one teaspoonful one hour before meals and upon retiring.

"G. P's"

To the professional mind these initials need no explanation, but "Grateful Patients" bring delight to the Doctor. A trial of the above combination in most cases means

"G. P's"

All druggists keep "Aletris Cordial Rio" and "Celerina" in stock for physicians and prescription use. They are separately put up in 8 oz. bottles. Prescribed upwards of 30 years.



Rio Chemical Co.
Founded 1870

12523—2-28-20—240M

RIO CHEMICAL CO.
79 Barrow St., New York City, U. S. A.

"G.P."



Is the most important thing in the world to
know that you are not alone. It is the most
important thing in the world to know that
you are not alone. It is the most important
thing in the world to know that you are not
alone. It is the most important thing in the
world to know that you are not alone.

THE CHEMICAL CO.

THE CHEMICAL CO.
Founded 1870

"I gave a sixteen-year-old girl four bottles of ALETRIS CORDIAL RIO. She had never menstruated. The four bottles established normal menses."

—Abstract from Report


May we ask you to remember

ALETRIS CORDIAL RIO

*when your patients require a
Uterine Tonic?*

Many physicians use Aletris Cordial Rio as a vehicle with other medication in the treatment of women patients owing to its affinity for the Uterine System.

**A Prescription Enjoying Wide and
Increasing Professional Favor:**



A Valuable Preparation to the Physician as a

UTERINE TONIC AND RESTORATIVE

Free from morphine, opium, cocaine, strychnine or bromides

INDICATIONS—Amenorrhea, Dysmenorrhea, Leucorrhea, Sterility (from functional causes), to **PREVENT** Miscarriages, and as a

GENERAL TONIC FOR WOMEN

PUBERTY — Young Girls — Excellent tonic at this period owing to its influence upon the Uterine System.

IN USE OVER 33 YEARS

Kept in Stock by Drug Stores Throughout the World

RIO CHEMICAL COMPANY

79 Barrow Street, New York City, N. Y.

7865-1-29-19-9071

Medical Clinic Jan 27th 1866 (Biddle)

Inflammation of Pharynx

Patient. Female. Diagnosis. Enlargement
of pharyngeal follicles. Enemic condition
Treatment Argenti Nitras $\frac{1}{8}$ gr
three times a day. Ferrum Redactum
 $\frac{1}{2}$ gr three times a day. Treatment
all together to the membrane of Stomach
gr; Sulphate Copper to the 3j of
water as a gargle

Erysipema. Pustular.

Patient. Female. Diagnosis. Erysipelas
on face, pustular form.

Treat. Dunham's Solution. vi gr Three
times a day increased to ten
drops. Oint of Sulphate of Soda
℥ss to 3j of lard.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Pleurisy

Patient, Male. Diagnosis. Cold from exposure
 pain in right side of a sharp, cutting
 character. Dullness on percussion on
 lower third of right side of chest.

Friction, creaking sound of the pleura
 absence of Respiratory murmur.

Treatment. Simple Poultice. Change
 it every three or four hours.

Emplas Cantharides 4 by 3 in.

Ri Iron Carb j gr
 Digitalis ʒ gr
 Squill j gr

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic Jan 31st / 1866 (Steel)

Bronchitis

Patient, Female. Diagnosis. Inflammation of
mucous of Bronchi. Becoming chronic. Air
cells inflamed, preventing the blood from being oxygenized
empyema of lung. Causing valvular disease of
the heart, this causing dropsy of the lower
extremities. Albumen in the urine. Granular
degeneration of the Kidney. Pulse 88, weak.
~~Pain over heart~~ & dullness, loud murmur over
the ~~Region~~ heart. Whooping cough, with white
copious expectoration, frothy. Right side dull
on percussion. Mucous rale heard over
left side.

Treatment. Compound Cathartic pills.
Sinct of Soluble & Hoffmanns Anodyne
Small blasprompt of each, sinapiem
over chest.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Rheumatic Gout.

Patient. Male. Diagnosis. No hereditary disposition in father or mother's side. Some yrs ago was exposed to cold, after which the disease commenced. Producing deformity of hands and feet.

After 10 days return to

J. W. H. REBER, M. D.,

Painter Station, Pa.

RECEIVED
JUN 10 1891
J. W. H. REBER, M. D.

Medical Clinic Jan 31st / 1866 Rand

Inflammation of wrist

Patient. Female. Diagnosis. Pain began in the ball of thumb, passed up the arm, now the fingers are bent. Perhaps adhesion of the fascia of the muscles.

Treatment. Electricity and ointment to the part, volatile liniment, rubbing well

Infusion in Pericardium

Patient. Male. Diagnosis. Emaciated appearance. Unable to take a long breath catching in sides. Chill about a week ago. Breathing short. Dullness around region of heart.

Treatment Counter Irritants. Blister 4x6 inch. Iodide of Potassium ʒj in 1x3 water teaspoonful three times a day.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Pluritis Vulva

Patient. Female. Diagnosis. Parts swollen and inflamed.

Treatment R Sulphate of Soda 3ij

(wash)

Water

Glycerine

3 iij

Wash solution & glb three times a day

oedema

Patient. Female. Diagnosis. Oedema of one hand and both feet. Had an attack of Laundries some yrs ago. Pain in left hand, Pain in left shoulder, Warm swelling of muscle.

Treatment (Dumpey berry and Cream of Tartar). xx grs of Syrup of Potich of Iron.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

Medical Clinic: Feb 3^d / 66 (Stude)
Paralysis

Patient, Male. Diagnosis. Paralysis of right side. Articulation imperfect. Head drawn towards right side. Tongue towards the left. When trying to talk, commenced with laughter. The paralysis must depend on some derangement of the brain on left side. Probably the *Thalamus nervorum*, *Opticorum*. No effusion of blood into brain. Gradual improvement.

Treatment. Slight purgation and blisters to the back of neck.

Patient. Male. Diagnosis. Chronic Hepatic disease. Crisis of liver. Aged 60 yrs had yellow fever in 1847. Had intermittent fever also. Pneumonia. In June last had a chill and sense of weight in epigastric region with Colic pains. Skin became yellow. Stools clay-colored. Liver was enlarged. Uneasy feeling over liver. Abdomen distended.

25

with air. Enlargement of liver, then contraction
Treatment. Nitro-Muriatic Acid \sqrt{gr} three
times a day.

Patient Male, Diagnosis. Aged 50. Engaged
in storming of Fort Fisher, where he received
a contused wound of right shoulder, which
produced paralysis of the right arm.
Treatment Stimulating lotions with
frictions. Blister to the shoulder. Also
electricity.

Chorea Paralysis (Rand)
Patient Male Diagnosis, Aged 14 yrs.
Holds hand out.
Treatment, Strychnia $\frac{1}{60} gr$
Carb of Iron $\frac{1}{2} gr$
Lumina $\frac{1}{2} gr$ three
times a day.

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

Medical Clinic Feb 3^d 1886

(Rana)

Hypertrophy of Heart

Patient, Female, Diagnosis, Enlargement of heart, dullness extending for some distance around the heart.

Treatment Digitalis $\frac{1}{4}$ gr Carbonate of Iron $\frac{1}{2}$ gr three times a day. Diet, very good milk &c.

Chorea

Patient Female Diagnosis, Aged 9 yrs. Does not speak plainly. Twitching of muscles. Agitation when looking around. Tongue coated with white fur.

Treat Fluid Ext of Senna tea prompt three times a day. Arsenic. Fowler's solution $\frac{1}{2}$ gr three times ^{in water} a day, three days after taking the Senna. Also $\frac{1}{2}$ gr of Sub-carbonate of Iron.

After 10 days return to

J. W. H. REBER, M. D.
near Station, Pa.

Rhododynia

Patient. Female. Diagnosis. Aged 23 yrs
Swelling of feet, also opening, burning
pain when lying down. Result of long
continued standing.

Treatment. Dilute Sulphuric Acid
three times a day, applied with brush
allowed to dry on. Afterwards wash
the feet with Pearl Ash in water.

(Muscular Rheumatism Pain in back)

Patient. Male Diagnosis. Pain in
back. Resulting from a strain received
eight yrs ago. Had a Rheumatism in
Right Hip. Man in good health
Treatment. Fluid Exc Semi ^{an} ^{ins} ^{er} ^{fu} ^{ga} ^x ^{got}

teaspoonful of (Epsom Salt every
morning with Bitartrate of Potassa)

R. Epsom Salt 3j

Bitartrate of Potassa 3j mix take
teaspoonful three times a day.

Medical Clinic Feb 7th /66 (Stute)

Empysemata

Patient: Female. Aged 26 yrs. Thursday evening was taken sick, rose Friday morning with fever and chills (Pains over whole body. Headache sore throat. sick stomach) - characterized by Vomiting - Bileous. Diarrhoea. Shooting pains in head, with itching and swelling on left side of nose. As soon as the eruptions appeared pains ceased. But Diarrhoea continued. Tongue moist, clean on edges. Tenderness of the abdomen. Urine high colored.

Treatment Fe^{II} Chloride of Iron xx grs three times a day, with a nourish diet.

Bronchitis

(Rand)

Patient Female. Diagnosis. Complaints of Cough & cold, Spitting of blood, Percussion healthy. Some bronchial rale. More on left than on the right. Fever with headache. Pulse so not full.

Treatment. Muriate of Ammonia

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

in liquorice water

℞ Zatar Emetic grj

Sc Sp Milla 3℥ss

Syrup of Squill 3℥j Castor oil

Patient Male. Diagnosis. Aged 31 yrs.
 Taken sick last July, working in cellar.
 became overheated. Had diarrhoea at
 the time, Sourness in abdomen and
 left side, Tongue coated, Urine
 healthy.

Treatment. Quinia grj. Strychnia $\frac{1}{16}$
 Aromatic Sulphuric Acid grj in
 teaspoonful of water three times a day.

Empyema

Patient Female. Diagnosis. Aged 40 yrs.
 Tightness on left side of chest. Sore
 throat with difficulty of breathing
 Spitting of blood. Percussion good.
 Bronchial rale on left side

right side natural,

Treatment Rx Chlorate of Potassa $\times \vee$ gr
 Tinct of Belladonna \vee gr
 Muriate of Ammonia \vee gr three
 times a day, Apply a fly blister 4×6 inch

(Feb 10th) Erysipelas (Steele)
 Patient Male Diagnosis, Aged 65 yrs
 Last Monday had chill & fever, headache,
 pain in bones, Nausea. Wednesday morning
 swelling in right cheek. Now swelling on
 both cheeks involving nose eyes, right
 eye closed.

Treatment: Tinct Chloride of Iron $\times \times$ gr
 three times a day in water, Locally
 Resolvent Ointment.

After 10 days return to

J. W. H. REBER, M. D.

near Station, Pa.

Hemiplegia

Patient, Female. Diagnosis. Aged 50 yrs. Some yrs ago was permitted to sit down while going up stairs with loss of power in lower extremities, Health perfect until last July, got up in the morning with headache, with numbness on right side. Lost feeling on right side two days after lost the power of speech.

Treatment - At that time was Abstraction of blood with blisters to the nape of neck friction to the spine.

At present memory tolerably clear. Confusion of speech. Tongue bent to one side rigidity of elbow and knee. Special senses all natural. No diseases in thoracic and abdominal organs. Able to walk the least bit. Sensitive when the soles of the feet are touched.

Some lesion of the left brain
Prognosis unfavorable

After 10 days return to

J. W. H. REBER, M. D.
Painter Station, Pa.

Feb 10th Hemiplegia (Stuhl)
 Patient Male, Diagnosis, Aged 27 yrs
 last November was shot over right super-
 ciliary ridge, was taken to Hospital, remain
 insensible for six or seven weeks. Vision
 doubled after recovery, misapplied
 words, saliva dropped from mouth,
 paralysis of left side. Present Condition
 mastication on left side impaired
Treatment, Galvanic battery.

Feb 10th Medical Clinic (Rand)
 Phuradimia
 Patient, Female Diagnosis, Aged 38 yrs
 taken sick last Monday, Rheumatic
 pains in chest.
Treatment, Apply towel to chest rub
 with hot flat iron. Then rub in your
 liniment.

After 10 days return to
 J. W. H. REBER, M. D.
 Painesville, Pa.

Enemia with disordered heart
 Patient, Male, Diagnosis. Pain in chest
 and stomach. some nervousness. Chills
 and fever. Tongue clean. No dullness
 on percussion on chest. Sounds of the
 heart muffled. Pulse about 140.

Treatment R Carb of Iron ij gr

Strychnia $\frac{1}{60}$ gr

Cumina j gr

Elux Valeriate of Ammonia two teaspoonfuls
 at night for the nervousness
 Regulate the diet

After 10 days return to

J. W. H. REBER, M. D.
 near Station, Pa.

Enemia

Patient, Male, Diagnosis. Aged 17 yrs
 working at shoemaking. feels giddy
 appetite good. bowels regular. Cannot
 sleep. Palpitation of heart. Most
 when walking. Pulse 120.

Treatment R Carb of Iron ij gr

Strychnia $\frac{1}{60}$ gr

Cumina j gr

Valeriate of Ammonia at night -
 two teaspoonfuls

Medical Clinic. Feb 14th /66. (State)
Pleurisy

Patient. Male. Diagnosis. Aged 41 yrs; was in the army. had camp diarrhoea, was well until 5 weeks ago. when he was taken with pain & weight in right side of chest. Skin hot, tenders on touch. Dullness on percussion over right lung, loss of sound on that side. Left lung took on puerile respiration with the sub-crepitant rale. bowels regular. Urine normal. Prominence of the femoral and axillary vein, owing to the coagulation of the blood. As long as the clot remains the prognosis unfavorable.
Treatment - Soothing applications, Quap liniment with laudanum to the vein.

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

89
(Stute)

Sub-Acute Rheumatism.

Patient. Male. Diagnosis. Aged 32 yrs.
always healthy until last August, when he
took cold from exposure. Swelling and pain
of left ankle joint, weight and tenderness
on pressure, no pitting on pressure.

Heart normal in its action.

Swelling extending up the limb and down
the foot. No redness of part.

Drum-bell crystals of oxalate of lime.
diffusing from the whites. the oxalate
of lime reduced to needle like crystals
by heat & muriatic acid.

After 10 days return to

J. W. H. REBER, M. D.

Pa. ner Station, Pa.

Eczema on Face also Puritana's Nitra
 Sulphate of Soda Rome

General Anasaca combined with
 Jaundice.
 Treatment - Reconstruction Iron,
 Rx.

Carbonate of Iron grj
 Strychnia gr $\frac{1}{60}$
 Quinine grj

Hard Cider as much as
 you can drink,

After 10 days return to
 J. W. H. REBER, M. D.
 Hunter Station, Pa.

L. McCaulley.

Dyspepsia

R.

Aloes ʒi or gr. 40.

Rhubarb. ʒi " 40

Chamomile ʒss " 20

Saffron ʒss " 20

Misce with one quart of French Brandy
or Rye Whisky. Take three times a day, Dose
a Tablespoon full.

At April 20th 1877.

Dyspepsia

R.

Aloes. gr. 40.

Rhubarb. " 40

Chamomile " 20

Saffron " 20

Misc with one quart of French
Brandy or Rye Whisky. Take three
times a day (Dose Tablespoon full)

Cross E. L. Otterstein M.D.
Walnut Grove, P.C.,
Warren Co. Ind.

After 10 days return to

J. W. H. REBER, M. D.

Union Station, Pa.

Healing Ointment J. C. H. Rober M.D.

Brasleye Brasleye Brasleye 1867

In contusions

R Aceti com, $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{ii}\text{ } \mathfrak{j}$
Aqua $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{v}$
Mix, and make in lotion

For sponging the Body
in fevers

R Aceti com, $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{j}$
Aqua $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{ii}\text{ } \mathfrak{j}$

In Tinea Capitis

R Acidi Acetici $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{j}$
Aqua $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{ii}\text{ } \mathfrak{j}$
Mix - and apply
Externally

In Offensive discharges
after abortions

R Acidi Acetici Pyrolig $\mathfrak{f}\text{ } \mathfrak{xxv}$
Liq. Ammon Acet. $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{ii}\text{ } \mathfrak{ss}$

Aqua Camphora $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{j}$
Syr. Zingiberis $\mathfrak{f}\text{ } \mathfrak{z}\text{ } \mathfrak{ss}$
Mix Make a draught - and
give four times per
day, dose Tablespoon
full.

In Putrid Sore Throat

R Acidi Pyrolignei $\mathfrak{z}\text{ } \mathfrak{j}$
Inf. Salvia $\mathfrak{z}\text{ } \mathfrak{vj}$
Mix. Make in a gargle

In Neuralgia of the Bladder

R_x S. H. Gross

Acidi Arseniosi gr ii

Strychnia gr i

Ext-Aconiti gr viii

Pulv. Opii gr v

Mix, and make into xvj
fills, Give every six hours,
or four in Twenty-four hours,
If nausea ensues, give half fill
only. S. H. Gross, Prof.

In Chorea

R_x Lig. Arsenicalis & M_x

To be taken immediately
after meals, For children
five to twelve years,

As a dressing of wounds

R_x

Acidi Carbolicum ℥j

Aq. distil ℥ij

Fiat Lotic (Prof. Liston)

As a disinfecting powder

R_x

Acidi Carbolicum ℥j

Calcei Hydrat lb. iv

Sperg Apply

In Pruritis Vulvae

R_x

Acidi Carbolicum gr x

Morphia Acet gr viii

Acidi Hydrocyanic ℥ij

Glycerini ℥iv

Aquae ad ℥iv

Mix - Fiat Lotic

In Scarlet-Fever with

Dysphtheria,

R_x

Glycerini Acid Carbolicum M_x

Sodae Chloratis ℥ij

Aquae distillatae ℥iv

A Teaspoonful every three
hours

In Menorrhagia

R

Acidi Gallici

Pulv. Ergotae ana gr x

Make into Pulvis And Take
every three hours,

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

In Catarrh of Throat, or
Chronic Quinsy

R

Acidi Hydrochlor $\mathfrak{z}\mathfrak{j}$

Inf. Cinchonae $\mathfrak{z}\mathfrak{v}\mathfrak{i}\mathfrak{j}$

Mellis despumati $\mathfrak{z}\mathfrak{j}$

Make into Gargle

Prof Radium

In Consumptive Cough

R

Mucil Acaciae $\mathfrak{f}\mathfrak{z}\mathfrak{j}$

Aquae Distillatae $\mathfrak{f}\mathfrak{z}\mathfrak{v}\mathfrak{i}\mathfrak{ss}$

Syrup Tolutani $\mathfrak{z}\mathfrak{ss}$

Acidi Hydrarg dil $\mathfrak{M}\mathfrak{x}\mathfrak{i}\mathfrak{j}$

Misce Dose a Teaspoon

ful every three hours

Reber

After 10 days return to

J. W. H. REBER, M. D.

Painter Station, Pa.

For Hickea

3

R
Pulvis Rheum 3j -
Soda Bicarbonate 3j -
Essence Peppermint 3j -
Zinc Camphora 3j Br III
Morphia gr x
White Sugar 3jv
Boiling Water 3j -
Mixer 3j

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

For Dyspepsia

R
Gum Guaiacum 3j
Oil of juniper 3j
Oil of Sassafras 3jv
Cream of Tartar 3j
Pulvis Rheum 3j
Balsam Peruvalda 3j
Mixer

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, Pa.

After 10 days return to
J. W. H. REBER, M. D.
Painter Station, P

R Oil Origanum 3ij
 Camphor 3ij
 One quart Alcohol 3ij

Spyilmayer's (Lissauer's)

Alcohol 191-
 Origanum Oil 3ij
 Gum Camphor 3ij
 Sassafras 2/ij (if you like) 3ij

Persevering feet-

R Zinc 10 parts
 Alum 2 parts-
 Mix

Dust-on feet frequently.

Respiration of Feet—

R Glycerin 3j'
Kennedy's 241-Pine Can 3j'
Aghae 3j'
Bergamot-Essence 3j'
M Sig
Apply twice per day

Sweating feet

R Ferri Perchlored 3 drachms
Glycerine 1 drachm
Essence-Bergamot 2 drachms
Mix Apply three per day. (Robert)

To Break up a cold

R Tonic Acorniti 1 Drachm
Tonic Belladonna 2 Drachms
M, Sig. Five drops every three hours
(Doctor)

Hiccoughed
Facetic Acid
Mix Vomica

Magnificent Hair Tonic

R Fine of Cathartides 3j
Glycerine 3j
Spirits of Ammonia 3ss
Agua Rosa 3j
Mix 3j


To be used with a wet-brush
once or twice per day

Dr Stennett

For Hand wash

Gum Tragacanth	℥jv
Perfume	4 hills
Alcohol	4 "
Glycerine	4 "

Dissolve gum in 3 pt. of cold water and let it digest for twenty-four hours. then strain through a sieve, then add the balance, Carrie



Typhoid Fever Pill

R
 Specac ʒij
 Nit-Silver grs XXX
 Opium gr ʒi m
 Fit into 120 pills

For Whooping Cough

R
 Carb, Potassa ʒij
 Syr Scilla ʒij
 Lime Opium Camph ʒij
 Aqua Puri grs ʒvj
 Sig Teaspoonful 4x

For Dropsy

R
 Juniper Berries B aa
 Linseed aa
 Zingiber ʒss
 Horae Radish ʒij
 Parsley Root ʒij
 Cider ʒij
 Sig Wine glass full 4x diam

Fur Itch

Rx Land

3j

Veratrum

grjj

Carboligni q.s. to color

Mixer

The same by Hatterston

Rx Carbamate of Potassa

3j


Flower of Sulphur

3j

Adeps


3vj


apply daily





Corn Remedy


Salicylic acid 30 grains,
Extract Cammaris indica 5 grains
Colloidion $\frac{1}{2}$ Ounce





























































7m








To,

Alas, I am done,

I remain, as long as life exists

Yours, 8th / 84.

J. W. H. R.



For Acute and
Chronic Rheumatism,
Gout, Lumbago, Neuralgia,

And kindred complaints, prescribe the old reliable preparation, Griffith's Compound Mixture of Guaiac, Stillingia, etc., which contains Guaiac, Stillingia, Prickly Ash, Turkey Corn, Black Cohosh, Salicylates of the Alkalies and Alkaloids, Iodide Potassa, and other well-known remedies, acting as a powerful alterative, so combined as to be acceptable to all patients. It has been before the profession fifteen years, and has proved perfectly satisfactory in 95 per cent. of the cases indicated.

For further proof, we will, upon request, send you by express, a regular \$1.25 size bottle as a sample for trial, providing you will pay express charges.

ADDRESS

GRIFFITH & CO.


PRESCRIPTION DRUGGISTS

(Wm. H. Griffith, Successor)

67 Third Ave., cor. 11th St., New York.

Carried in Stock by the Principal Wholesale Druggists in the United States.

When writing to advertisers, please



- 317 Iodoform, 10 grs.
- 318 Sulphate Morphine, $\frac{1}{4}$ gr.
Hydrastine Alk., 1-16 gr.
- 319 Resorcin, 2 grs.
Sulphate Zinc, $\frac{1}{8}$ gr.
- 320 Sulphocarbolate Zinc, $\frac{1}{2}$ gr.
- 321 Protargol, $\frac{1}{2}$ gr.

or sent prepaid on receipt of price.

Who wishes to try these Bougies: Send us
one box of any combination (order by number),
use one of the bougies; if not satisfactory,
return the one dollar at once.

PSULE CO., Inc.,
349 Union St.,
ALLENTOWN, PA.

mention THE MEDICAL COUNCIL.

Cologne Water

R Oil Lemon

h Must R aa 3 1/2

Oil Rosemary 3 1/2

" Lavender 3 1/2

" Bergamot

" Orange aa 3 1/2

" Cinnamon 3 1/2 r.iii

" Roses 3 1/2 xxx

Alcohol 0 1/2

M

Monday 2nd of the week

Tuesday 3rd " " "


~~Discharge from the rectum~~

Opt Wine 311

Dyspnoea

168

Anacardium



Chloride of Potassa x 4 gr

Tinct of Belladonna 4 gr

\$ 8.40

three times a day

3vi Chloride of Potassa in

Point of water

Single

~~Capitulum~~

1 - V - + + +

5-25

840

gr 5 Crotona Sulphas

gr 3 Dover's Powder



= Shida

\$ 13.45

Wax

Lard

Camphor

Masson

Oil



Doctor -

Herewith the only books
found. One of the fathers
of Jefferson and one of
Dr. Barker of University of
Cincinnati. who studied & practiced
under my father.

Reber

